

**SAMPLE-4 -****Project Name:**

ANY

**Architect:****Engineer:****Customer:****Job Type:** Lump Sum**Estimator:** Kishore**Creation Date:** 06-09-2019**Last Modified:** 28-10-2020**Status:** Complete**Escalation:** No**Cover Page Comments:****Segment Summary**

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
<b>Included Segments:</b>					
<b>MAIN BUILDING</b>	<b>123,349</b>	<b>0</b>	<b>0</b>	<b>123,349</b>	<b>No</b>
FDNS/SOG	94,366	0	0	94,366	No
CIP PIER	9,763	0	0	9,763	No
COMPOSITE DECK SLAB	1,765	0	0	1,765	No
GAURD HOUSE BUILDING	5,831	0	0	5,831	No
COMPLEX-F BUILDING	6,001	0	0	6,001	No
COMPLEX-G BUILDING	5,623	0	0	5,623	No
<b>SITE WORK</b>	<b>60,176</b>	<b>0</b>	<b>0</b>	<b>60,176</b>	<b>No</b>
CONCRETE SIDE WALK	0	0	0	0	No
CONCRETE PAVEMENT	59,809	0	0	59,809	No
FEEDER CURB	367	0	0	367	No

**SAMPLE-4 -**

## Estimate Defaults

<b>Size Unit:</b> Imperial	<b>Building Code:</b> ACI 1983
<b>Length Unit:</b> Feet - Inches	<b>Concrete Strength:</b> 3000
<b>Weight Unit:</b> Pounds	<b>Lap Table:</b>
<b>Soft Hooks:</b> No	<b>Estimating Lap:</b> 48D
<b>Seismic Hooks:</b> No	<b>Steel Manufactured In:</b> ANY
	<b>Tie Clearance:</b> 0-012
	<b>Spiral Clearance:</b> 0-03
	<b>Spacing Tolerance:</b> 0-00
<b>Rebar Coating:</b> Black	<b>Rebar Grade:</b> 60
<b>Plain Coating:</b> Black	<b>Plain Grade:</b> 60
<b>Number of lap lengths to extend a stock bar before lapping:</b> 1	

## Background

<b>Locations</b>	
<b>Estimating:</b> IND - Info@rddsindia.com	<b>Estimator:</b> Kishore Raj
<b>Detailing:</b> IND - Info@rddsindia.com	<b>Detailer:</b>
<b>Fabricating:</b> IND - Info@rddsindia.com	<b>Salesperson:</b>
<b>Sales:</b> IND - Info@rddsindia.com	
<b>Det:</b> IND - Info@rddsindia.com	

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcc	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes	
1	GI	Segment: MAIN BUILDING Sub-Segment: FDNS/SOG																		
2	MT	FOUNDATION																		
3	MT	AREA-1																		
4	MT	REF: S-101, A4/S-501																		
5	MT	FTG: F17 (SIZE: 9'-0"x9'-0"x2'-6")																		
6	TR	BF		60		8-08	1-00	2*2	19/6	S	8-08							521	#6 @12" T&B EW	
7	TR	BF		60	4				13/4	H	1-06	1-10	1-06	1-10	1-06			22	#4 @48" STANDEES	
8	MT	FTG: F18 (SIZE: 9'-0"x9'-0"x3'-0") (3 LOCATION)																		
9	TR	BF		60		8-08	1-00	3*2*2	19/6	S	8-08							1,562	#6 @12" T&B EW	
10	TR	BF		60	4			3	13/4	H	1-06	2-04	1-06	2-04	1-06			73	#4 @48" STANDEES	
11	MT	FTG: F19 (SIZE: 12'-0"x12'-0"x2'-6") (5 LOCATION)																		
12	TR	BF		60		11-08	1-00	5*2*2	19/6	S	11-08							4,556	#6 @12" T&B EW	
13	TR	BF		60	6			5	13/4	H	1-06	1-10	1-06	1-10	1-06			164	#4 @48" STANDEES	
14	MT	FTG: F20 (SIZE: 12'-0"x12'-0"x3'-0") (6 LOCATION)																		
15	TR	BF		60		11-08	1-00	6*2*2	19/6	S	11-08							5,467	#6 @12" T&B EW	
16	TR	BF		60	6			6	13/4	H	1-06	2-04	1-06	2-04	1-06			220	#4 @48" STANDEES	
17	MT	FTG: F24 (SIZE: 18'-0"x16'-0"x3'-0") (4 LOCATION)																		
18	TR	BF		60		15-08	1-00	4*2	19/6	S	17-08							3,609	#6 @12" T&B LW	
19	TR	BF		60		17-08	1-00	4*2	19/6	S	15-08							3,577	#6 @12" T&B SW	
20	TR	BF		60	12			4	13/4	H	1-06	1-10	1-06	1-10	1-06			262	#4 @48" STANDEES	
21	MT	FTG: F26 (SIZE: 6'-0"x12'-0"x2'-6")																		
22	TR	BF		60		5-08	1-00	2	19/6	S	11-08							245	#6 @12" T&B LW	
23	TR	BF		60		11-08	1-00	2	19/6	S	5-08							221	#6 @12" T&B SW	
24	TR	BF		60	12				13/4	H	1-06	1-10	1-06	1-10	1-06			65	#4 @48" STANDEES	
25	MT	FTG: F27 (SIZE: 24'-0"x12'-0"x3'-0")																		
26	TR	BF		60		11-08	1-00	2	19/6	S	23-08							924	#6 @12" T&B LW	
27	TR	BF		60		23-08	1-00	2	19/6	S	11-08							876	#6 @12" T&B SW	
28	TR	BF		60	12				13/4	H	1-06	2-04	1-06	2-04	1-06			73	#4 @48" STANDEES	
29	TI	Pcs			260						3" DOBBIES							0		
30	MT	AREA-2																		
31	MT	REF: S-102, A4/S-501																		
32	MT	FTG: F16 (SIZE: 6'-0"x6'-0"x2'-6") ( 4 LOCATION)																		
33	TR	BF		60		5-08	1-00	4*2*2	19/6	S	5-08							953	#6 @12" T&B EW	
34	TR	BF		60	4			4	13/4	H	1-06	1-10	1-06	1-10	1-06			87	#4 @48" STANDEES	
35	MT	FTG: F17 (SIZE: 9'-0"x9'-0"x2'-6") (5 LOCATION)																		
36	TR	BF		60		8-08	1-00	5*2*2	19/6	S	8-08							2,604	#6 @12" T&B EW	
37	TR	BF		60	4			5	13/4	H	1-06	1-10	1-06	1-10	1-06			109	#4 @48" STANDEES	
38	MT	FTG: F18 (SIZE: 9'-0"x9'-0"x3'-0") (2 LOCATION)																		
39	TR	BF		60		8-08	1-00	2*2*2	19/6	S	8-08							1,042	#6 @12" T&B EW	
40	TR	BF		60	4			2	13/4	H	1-06	2-04	1-06	2-04	1-06			49	#4 @48" STANDEES	
41	MT	FTG: F20 (SIZE: 12'-0"x12'-0"x3'-0") (2 LOCATION)																		
42	TR	BF		60		11-08	1-00	2*2*2	19/6	S	11-08							1,822	#6 @12" T&B EW	
43	TR	BF		60	4			2	13/4	H	1-06	2-04	1-06	2-04	1-06			49	#4 @48" STANDEES	
44	MT	FTG: F22 (SIZE: 14'-0"x14'-0"x3'-0")																		
45	TR	BF		60		13-08	1-00	2*2	19/6	S	13-08							1,232	#6 @12" T&B EW	
46	TR	BF		60	6				13/4	H	1-06	2-04	1-06	2-04	1-06			37	#4 @48" STANDEES	
47	MT	FTG: F23 (SIZE: 16'-0"x16'-0"x2'-6") (2 LOCATION)																		
48	TR	BF		60		15-08	1-00	2*2*2	19/6	S	15-08							3,200	#6 @12" T&B EW	
49	TR	BF		60	9			2	13/4	H	1-06	1-10	1-06	1-10	1-06			98	#4 @48" STANDEES	
50	MT	FTG: F25 (SIZE: 20'-0"x10'-0"x2'-6")																		
51	TR	BF		60		9-08	1-00	2	19/6	S	19-08							650	#6 @12" T&B LW	
52	TR	BF		60		19-08	1-00	2	19/6	S	9-08							610	#6 @12" T&B SW	
53	TR	BF		60	8				13/4	H	1-06	1-10	1-06	1-10	1-06			44	#4 @48" STANDEES	
54	MT	FTG: F27 (SIZE: 24'-0"x12'-0"x3'-0")																		
55	TR	BF		60		11-08	1-00	2	19/6	S	23-08							924	#6 @12" T&B LW	
56	TR	BF		60		23-08	1-00	2	19/6	S	11-08							876	#6 @12" T&B SW	
57	TR	BF		60	10				13/4	H	1-06	2-04	1-06	2-04	1-06			61	#4 @48" STANDEES	
58	MT	PC-1 (SIZE: 18'-6"x3'-6"x1'-8") (2 LOCATION)																		
59	MT	REF: S-102, A1, B1 & B2/S-501																		

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes		
60	TR	BF		60	6			2	25/8	H	S90	5-07						222	6 #8 DWL.		
61	TR	BF		60	3			2*2	19/6	S	3-02							57	3 #6 @12" T&B SW		
62	TR	BF		60	5			2	29/9	S	17-08							601	5 #9 @9" T LW		
63	TR	BF		60	9			2	29/9	S	17-08	3-07	3-07					1,520	9 #9 @9" B LW		
64	TR	BF		60		10-00	0-06	2	13/4	L	0-08	1-03	3-02	1-03	3-02			285	#4 @6" STIRRUPS		
65	TR	BF		60	5			2*2	13/4	L	0-08	1-03	0-11	1-03	0-11			76	5 #4 @6" STIRRUPS		
66	TR	BF		60	4			2*2	13/4	H	1-06	0-081	1-06	0-081	1-06			63	#4 @48" STANDEES		
67	MT	PC-2 (SIZE: 4'-0"x3'-6"x3'-6") (2 LOCATION)																			
68	MT	REF: S-102, A1, B3/S-501																			
69	TR	BF		60	4			2	25/8	H	S90	7-02						182	4 #8 DWL.		
70	TR	BF		60	4			2*2	19/6	S	3-08							88	4 #6 @12" T&B LW		
71	TR	BF		60	4			2*2	19/6	S	3-02							76	4 #6 @12" T&B SW		
72	TR	BF		60	4			2	13/4	H	1-06	2-07	1-06	2-07	1-06			52	#4 @48" STANDEES		
73	TI	Pcs		220					3" DOBBIES											0	
74	TI	Pcs		20					6" IHC											0	PILE CAP
75	MT	AREA-3																			
76	MT	REF: S-103, A4/S-501																			
77	MT	FTG: F16 (SIZE: 6'-0"x6'-0"x2'-6") ( 4 LOCATION)																			
78	TR	BF		60		5-08	1-00	4*2*2	19/6	S	5-08							953	#6 @12" T&B EW		
79	TR	BF		60	4			4	13/4	H	1-06	1-10	1-06	1-10	1-06			87	#4 @48" STANDEES		
80	MT	FTG: F17 (SIZE: 9'-0"x9'-0"x2'-6") ( 13 LOCATION)																			
81	TR	BF		60		8-08	1-00	13*2*2	19/6	S	8-08							6,770	#6 @12" T&B EW		
82	TR	BF		60	4			13	13/4	H	1-06	1-10	1-06	1-10	1-06			284	#4 @48" STANDEES		
83	MT	FTG: F19 (SIZE: 12'-0"x12'-0"x2'-6")																			
84	TR	BF		60		11-08	1-00	2*2	19/6	S	11-08							911	#6 @12" T&B EW		
85	TR	BF		60	6				13/4	H	1-06	1-10	1-06	1-10	1-06			33	#4 @48" STANDEES		
86	MT	FTG: F21 (SIZE: 14'-0"x14'-0"x2'-6") (2 LOCATION)																			
87	TR	BF		60		13-08	1-00	2*2*2	19/6	S	13-08							2,464	#6 @12" T&B EW		
88	TR	BF		60	9			2	13/4	H	1-06	1-10	1-06	1-10	1-06			98	#4 @48" STANDEES		
89	MT	FTG: F23 (SIZE: 16'-0"x16'-0"x2'-6") (2 LOCATION)																			
90	TR	BF		60		15-08	1-00	2*2*2	19/6	S	15-08							3,200	#6 @12" T&B EW		
91	TR	BF		60	9			2	13/4	H	1-06	1-10	1-06	1-10	1-06			98	#4 @48" STANDEES		
92	MT	FTG: F27 (SIZE: 24'-0"x12'-0"x3'-0")																			
93	TR	BF		60		11-08	1-00	2	19/6	S	23-08							924	#6 @12" T&B LW		
94	TR	BF		60		23-08	1-00	2	19/6	S	11-08							876	#6 @12" T&B SW		
95	TR	BF		60	12				13/4	H	1-06	2-04	1-06	2-04	1-06			73	#4 @48" STANDEES		
96	MT	PC-1 (SIZE: 18'-6"x3'-6"x1'-8") (4 LOCATION)																			
97	MT	REF: S-103, A1, B1 & B2/S-501																			
98	TR	BF		60	6			4	25/8	H	S90	5-07						443	6 #8 DWL.		
99	TR	BF		60	3			4*2	19/6	S	3-02							114	3 #6 @12" T&B SW		
100	TR	BF		60	5			4	29/9	S	17-08							1,201	5 #9 @9" T LW		
101	TR	BF		60	9			4	29/9	S	17-08	3-07	3-07					3,040	9 #9 @9" B LW		
102	TR	BF		60		10-00	0-06	4	13/4	L	0-08	1-03	3-02	1-03	3-02			570	#4 @6" STIRRUPS		
103	TR	BF		60	5			4*2	13/4	L	0-08	1-03	0-11	1-03	0-11			151	5 #4 @6" STIRRUPS		
104	TR	BF		60	4			4*2	13/4	H	1-06	0-081	1-06	0-081	1-06			126	#4 @48" STANDEES		
105	MT	PC-2 (SIZE: 4'-0"x3'-6"x3'-6") (2 LOCATION)																			
106	MT	REF: S-103, A1, B3/S-501																			
107	TR	BF		60	4			2*2	25/8	H	S90	7-02						363	4 #8 DWL.		
108	TR	BF		60	4			2*2	19/6	S	3-08							88	4 #6 @12" T&B LW		
109	TR	BF		60	4			2*2	19/6	S	3-02							76	4 #6 @12" T&B SW		
110	TR	BF		60	4			2	13/4	H	1-06	2-07	1-06	2-07	1-06			52	#4 @48" STANDEES		
111	TI	Pcs		270					3" DOBBIES											0	
112	TI	Pcs		35					6" IHC											0	PILE CAP
113	MT	SLAB ON GRADE																			
114	MT	AREA-1																			
115	MT	12" THICK SLAB ON GRADE																			
116	MT	REF: S-111, A3/S-500, D1/S-501																			
117	TI	SqFt		3650					6x6-W2.9xW2.9											0	SOG
118	TI	Pcs		230					6" DOBBIES											0	12" SOG

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spocg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes		
119	TR	BF		60	2			7	19/6	H	5-00	0-06	5-00					221	2 #6 HAIRPIN BAR		
120	TR	BF		60	2			7	19/6	H	19-00	S90						421	2 #6 HAIRPIN MID		
121	TR	LS		60	7				13/4	S	134-00				0	2-00	30-00	664	7 #4 @ CONT.		
122	MT	6" THICK SLAB ON GRADE																			
123	MT	REF: S-111																			
124	TI	SqFt			17650				6x6-W2.9xW2.9										0	SOG	
125	TI	Pcs			1050				3" DOBBIES											0	
126	MT	8" THICK SLAB ON GRADE																			
127	MT	REF: S-111																			
128	TR	BF		60		19-07	1-00	2	16/5	S	19-07								858	#5 @12" EW	
129	TI	Pcs			30				4" DOBBIES											0	
130	MT	REF SEC: C3/S-503																			
131	TR	LS		60	3				16/5	S	113-03				0	1-08	30-00	370	3 #5 @ B CONT.		
132	TR	LS		60	2				16/5	S	113-03				0	1-08	30-00	247	2 #5 @ T CONT.		
133	TR	BF		60		113-00	1-06		16/5	S	4-00								321	#5 @18" ADD'L	
134	TR	BF		60		109-08	4-00		16/5	H	S90	4-06							161	#5 @48" CMU DWL.	
135	TR	BF		60	2			6	16/5	H	S90	4-06							67	2 #5 @MCJ DWLS	
136	TR	BF		60		113-03	2-00		13/4	S	1-08								65	#4 @24" TRANSV	
137	MT	REF SEC: B1/S-503																			
138	MT	8" THICK WALL																			
139	TR	BF		60		133-06	0-09		16/5	H	1-02	5-00							1,152	#5 @9" D/V	
140	TR	LS		60	2				16/5	S	133-06				0	2-00	30-00	295	2 #5 T CONT.		
141	TR	LS		60		3-11	0-09		16/5	S	133-06				0	2-00	30-00	1,033	#5 @9" H		
142	MT	SOG																			
143	TR	LS		60	2				13/4	S	133-06				0	2-00	30-00	189	2 #4 @B CONT.		
144	TR	BF		60		133-06	2-00		13/4	S	0-08								30	#4 @24" B TRANS.	
145	TR	LS		60		2-09	1-00		13/4	S	133-06				0	2-00	30-00	378	#4 @12" SOG LW		
146	TR	BF		60		133-06	1-00		13/4	H	0-08	2-09							308	#4 @12" SOG TRANS.	
147	TR	BF		60		133-06	1-06		16/5	H	1-02	3-00							391	#5 @18" DWL.	
148	TR	LS		60	2				16/5	S	133-06				0	2-00	30-00	295	2 #5 T CONT.		
149	TR	LS		60	3				16/5	S	133-06				0	2-00	30-00	443	3 #5 B CONT.		
150	MT	REF SEC: B3, B5 & C2/S-503																			
151	TR	LS		60	2				13/4	S	273-06				0	2-00	30-00	389	2 #4 @B CONT.		
152	TR	BF		60		273-06	2-00		13/4	S	0-08								61	#4 @24" B TRANS.	
153	TR	LS		60		2-09	1-00		13/4	S	273-06				0	2-00	30-00	779	#4 @12" SOG LW		
154	TR	BF		60		273-06	1-00		13/4	H	0-08	2-09							627	#4 @12" SOG TRANS.	
155	TR	BF		60		273-06	1-06		16/5	H	1-02	3-00							800	#5 @18" SOG DWL.	
156	TR	LS		60	1				16/5	S	273-06				0	2-00	30-00	304	1 #5 T CONT.		
157	TR	LS		60	1				16/5	S	133-00			20-00	0	2-00	30-00	170	1 #5 T CONT.		
158	TR	LS		60	2				16/5	S	273-06				0	2-00	30-00	608	2 #5 B CONT.		
159	TR	LS		60	1				13/4	S	139-06				0	2-00	30-00	99	1 #4 CONT.		
160	TR	BF		60		139-06	1-04		13/4	S	0-08								47	#4 @16" DWL. D&E	
161	MT	TRENCH DRAIN																			
162	MT	REF SEC: C4/S-503																			
163	TR	LS		60	7				13/4	S	96-06				1	2-00	30-00	479	7 #4 @9" CONT.		
164	TR	BF		60		96-06	1-04		13/4	H	1-07	1-10	1-07						247	#4 @16" BENT DWL.	
165	MT	AREA-2																			
166	MT	12" THICK SLAB ON GRADE																			
167	MT	REF: S-112, A2, A3/S-500, D1/S-501																			
168	TI	SqFt			3650				6x6-W2.9xW2.9											0	SOG
169	TI	Pcs			230				6" DOBBIES											0	12" SOG
170	TR	BF		60	2			6	19/6	H	5-00	0-06	5-00						189	2 #6 HAIRPIN BAR	
171	TR	BF		60	2			6	19/6	H	19-00	S90							360	2 #6 HAIRPIN MID	
172	TR	LS		60	7				13/4	S	36-00				0	2-00	30-00	178	7 #4 @ CONT.		
173	TR	LS		60	4				13/4	S	118-00				0	2-00	30-00	337	4 #4 @ CONT.		
174	MT	6" THICK SLAB ON GRADE																			
175	MT	REF: S-112																			
176	TI	SqFt			21900				6x6-W2.9xW2.9											0	SOG
177	TI	Pcs			1250				3" DOBBIES											0	

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
178	TR	BF		60	2			4	13/4	S	3-00							16	1 #4 T&B ADD'L
179	TR	BF		60	2			8	19/6	H	5-00	0-06	5-00					252	2 #6 HAIRPIN BAR
180	TR	BF		60	2			8	19/6	H	19-00	S90						481	2 #6 HAIRPIN MID
181	MT	REF SEC: B1/S-503																	
182	MT	8" THICK WALL																	
183	TR	BF		60		94-00	0-09		16/5	H	1-02	5-00						817	#5 @9" D/V
184	TR	LS		60	2				16/5	S	94-00				0	2-00	30-00	209	2 #5 T CONT.
185	TR	LS		60		3-11	0-09		16/5	S	94-00				0	2-00	30-00	730	#5 @9" H
186	MT	SOG																	
187	TR	LS		60	2				13/4	S	94-00				0	2-00	30-00	134	2 #4 @B CONT.
188	TR	BF		60		94-00	2-00		13/4	S	0-08							21	#4 @24" B TRANS.
189	TR	LS		60		2-09	1-00		13/4	S	94-00				0	2-00	30-00	267	#4 @12" SOG LW
190	TR	BF		60		94-00	1-00		13/4	H	0-08	2-09						217	#4 @12" SOG TRANS.
191	TR	BF		60		94-00	1-06		16/5	H	1-02	3-00						278	#5 @18" DWL.
192	TR	LS		60	2				16/5	S	94-00				0	2-00	30-00	209	2 #5 T CONT.
193	TR	LS		60	3				16/5	S	94-00				0	2-00	30-00	313	3 #5 B CONT.
194	MT	REF SEC: B5 & C2/S-503																	
195	TR	LS		60	2				13/4	S	12-04				0	2-00	30-00	16	2 #4 @B CONT.
196	TR	BF		60		12-04	2-00		13/4	S	0-08							4	#4 @24" B TRANS.
197	TR	LS		60		2-09	1-00		13/4	S	12-04				0	2-00	30-00	33	#4 @12" SOG LW
198	TR	BF		60		12-04	1-00		13/4	H	0-08	2-09						32	#4 @12" SOG TRANS.
199	TR	BF		60		12-04	1-06		16/5	H	1-02	3-00						43	#5 @18" SOG DWL.
200	TR	LS		60	2				16/5	S	12-04				0	2-00	30-00	26	2 #5 T CONT.
201	TR	LS		60	2				16/5	S	12-04				0	2-00	30-00	26	2 #5 B CONT.
202	MT	REF SEC: B2/S-503																	
203	MT	8" THICK WALL																	
204	TR	BF		60		62-09	0-09		16/5	H	1-02	2-09						347	#5 @9" D/V
205	TR	LS		60	2				16/5	S	62-09				0	2-00	30-00	139	2 #5 T CONT.
206	TR	LS		60		1-11	0-09		16/5	S	62-09				0	2-00	30-00	278	#5 @9" H
207	MT	SOG																	
208	TR	LS		60	2				13/4	S	62-09				0	2-00	30-00	89	2 #4 @B CONT.
209	TR	BF		60		62-09	2-00		13/4	S	0-08							15	#4 @24" B TRANS.
210	TR	LS		60		2-09	1-00		13/4	S	62-09				0	2-00	30-00	178	#4 @12" SOG LW
211	TR	BF		60		62-09	1-00		13/4	H	0-08	2-09						146	#4 @12" SOG TRANS.
212	TR	BF		60		62-09	1-06		16/5	H	1-02	3-00						187	#5 @18" DWL.
213	TR	LS		60	2				16/5	S	62-09				0	2-00	30-00	139	2 #5 T CONT.
214	TR	LS		60	2				16/5	S	62-09				0	2-00	30-00	139	2 #5 B CONT.
215	MT	REF SEC: A2 & A3/S-503																	
216	TR	LS		60	2				16/5	S	181-00				0	2-00	30-00	403	2 #5 @B CONT.
217	TR	LS		60	1				16/5	S	181-00				0	2-00	30-00	201	1 #5 @ T CONT.
218	TR	BF		60		181-00	2-00		13/4	S	1-00							61	#4 @24" B TRANS.
219	TR	BF		60		181-00	1-06		16/5	H	0-10	3-00						488	#5 @18" DWL.
220	MT	TRENCH DRAIN																	
221	MT	REF SEC: C4/S-503																	
222	TR	LS		60	7				13/4	S	59-06				1	2-00	30-00	288	7 #4 @9" CONT.
223	TR	BF		60		59-06	1-04		13/4	H	1-07	1-10	1-07					154	#4 @16" BENT DWL.
224	MT	AREA-3																	
225	MT	6" THICK SLAB ON GRADE																	
226	MT	REF: S-112																	
227	TI	SqFt		20800					6x6-W2.9xW2.9									0	SOG
228	TI	Pcs		1170					3" DOBBIES									0	
229	TR	BF		60	2			19	19/6	H	5-00	0-06	5-00					599	2 #6 HAIRPIN BAR
230	TR	BF		60	2			19	19/6	H	19-00	S90						1,142	2 #6 HAIRPIN MID
231	MT	REF SEC: B2/S-503																	
232	MT	8" THICK WALL																	
233	TR	BF		60		198-00	0-09		16/5	H	1-02	2-09						1,083	#5 @9" D/V
234	TR	LS		60	2				16/5	S	198-00				0	2-00	30-00	438	2 #5 T CONT.
235	TR	LS		60		1-11	0-09		16/5	S	198-00				0	2-00	30-00	876	#5 @9" H
236	MT	SOG																	

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
237	TR	LS		60	2				13/4	S	198-00				0	2-00	30-00	281	2 #4 @B CONT.
238	TR	BF		60		198-00	2-00		13/4	S	0-08							44	#4 @24" B TRANS.
239	TR	LS		60		2-09	1-00		13/4	S	198-00				0	2-00	30-00	561	#4 @12" SOG LW
240	TR	BF		60		198-00	1-00		13/4	H	0-08	2-09						454	#4 @12" SOG TRANS.
241	TR	BF		60		198-00	1-06		16/5	H	1-02	3-00						578	#5 @18" DWL.
242	TR	LS		60	2				16/5	S	198-00				0	2-00	30-00	438	2 #5 T CONT.
243	TR	LS		60	2				16/5	S	198-00				0	2-00	30-00	438	2 #5 B CONT.
244	MT	REF SEC: A2/S-503																	
245	TR	LS		60	2				16/5	S	173-05				0	2-00	30-00	387	2 #5 @B CONT.
246	TR	LS		60	1				16/5	S	173-05				0	2-00	30-00	193	1 #5 @ T CONT.
247	TR	BF		60		173-05	2-00		13/4	S	1-00							59	#4 @24" B TRANS.
248	TR	BF		60		173-05	1-06		16/5	H	0-10	3-00						468	#5 @18" DWL.
249	MT	REF SEC: B3, B5 & C2/S-503																	
250	TR	LS		60	2				13/4	S	84-08				0	2-00	30-00	118	2 #4 @B CONT.
251	TR	BF		60		84-08	2-00		13/4	S	0-08							20	#4 @24" B TRANS.
252	TR	LS		60		2-09	1-00		13/4	S	84-08				0	2-00	30-00	237	#4 @12" SOG LW
253	TR	BF		60		84-08	1-00		13/4	H	0-08	2-09						196	#4 @12" SOG TRANS.
254	TR	BF		60		84-08	1-06		16/5	H	1-02	3-00						252	#5 @18" SOG DWL.
255	TR	LS		60	1				16/5	S	84-08				0	2-00	30-00	92	1 #5 T CONT.
256	TR	LS		60	1				16/5	S	19-06			10-00	0	2-00	30-00	31	1 #5 T CONT.
257	TR	LS		60	2				16/5	S	84-08				0	2-00	30-00	185	2 #5 B CONT.
258	TR	LS		60	1				13/4	S	65-06				0	2-00	30-00	46	1 #4 CONT.
259	TR	BF		60		65-06	1-04		13/4	S	0-08							23	#4 @16" DWL. D&E
260	MT	TRENCH DRAIN																	
261	MT	REF SEC: C4/S-503																	
262	TR	LS		60	7				13/4	S	143-00				1	2-00	30-00	706	7 #4 @9" CONT.
263	TR	BF		60		143-00	1-04		13/4	H	1-07	1-10	1-07					364	#4 @16" BENT DWL.
264	GI	Segment: MAIN BUILDING Sub-Segment: CIP PIER																	
265	MT	CIP PIER																	
266	MT	AREA-1																	
267	MT	REF: S-101, A4, C1/S-501																	
268	MT	PIER P1 (SIZE: 2'-0"x2'-0"x1'-10") (18 LOCATION)																	
269	TR	BF		60	8			3	25/8	H	S90	3-09						326	8 #8 @ D/V
270	TR	BF		60	8			15	25/8	H	S90	4-03						1,788	8 #8 @ D/V
271	TR	TA		60	3			18	13/4	L	2-00	2-00		0-02	0			280	3 #4 @ TIES
272	TR	BF		60	3			18*2	13/4	L	0-08	1-08	0-08					216	3 #4 @ LINKS
273	MT	PIER P2 (SIZE: 4'-0"x2'-0"x1'-10") (4 LOCATION)																	
274	TR	BF		60	16			4	25/8	H	S90	4-03						954	16 #8 @ D/V
275	TR	TA		60	3			4	13/4	L	4-00	2-00		0-02	0			94	3 #4 @ TIES
276	TR	BF		60	3			4*5	13/4	L	0-08	1-08	0-08					120	3 #4 @ LINKS
277	MT	AREA-2																	
278	MT	REF: S-102, A4, C1/S-501																	
279	MT	PIER P1 (SIZE: 2'-0"x2'-0"x1'-10") (20 LOCATION)																	
280	TR	BF		60	8			12	25/8	H	S90	3-09						1,303	8 #8 @ D/V
281	TR	BF		60	8			8	25/8	H	S90	4-03						954	8 #8 @ D/V
282	TR	TA		60	3			20	13/4	L	2-00	2-00		0-02	0			311	3 #4 @ TIES
283	TR	BF		60	3			20*2	13/4	L	0-08	1-08	0-08					240	3 #4 @ LINKS
284	MT	AREA-3																	
285	MT	REF: S-102, A4, C1/S-501																	
286	MT	PIER P1 (SIZE: 2'-0"x2'-0"x1'-10") (24 LOCATION)																	
287	TR	BF		60	8			22	25/8	H	S90	3-09						2,388	8 #8 @ D/V
288	TR	BF		60	8			2	25/8	H	S90	4-03						238	8 #8 @ D/V
289	TR	TA		60	3			20	13/4	L	2-00	2-00		0-02	0			311	3 #4 @ TIES
290	TR	BF		60	3			20*2	13/4	L	0-08	1-08	0-08					240	3 #4 @ LINKS
291	GI	Segment: MAIN BUILDING Sub-Segment: COMPOSITE DECK SLAB																	
292	MT	AREA-3 - 4 1/2" THICK COMPOSITE DECK SLAB																	
293	MT	REF: S-130																	
294	TI	SqFt			21000				6x6-W1.4xW1.4 WWF									0	DECK SLAB
295	TI	Pcs			1170				3" IHC									0	DECK SLAB



**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
296	MT	AREA-1 -8" THICK CMU WALL																	
297	MT	REF SEC: C3/S-503																	
298	TR	LS		60		109-08	4-00		16/5	S	12-00				0	3-09	5-00	1,044	#5 @48" VERT.
299	TR	LS		60	2			5	16/5	S	12-00				0	3-09	5-00	360	2 #5 @48" VERT. MCJ
300	TR	BF		60	2				16/5	S	5-00							10	#5 @48" VERT. OPNG
301	TR	LS		60	1			2	16/5	S	12-00				0	3-09	5-00	72	1 #5 @JAMB ES
302	TR	LS		60	1				16/5	H	113-03	S180	S180		0	3-09	30-00	135	1 #5 @ T CONT.
303	TR	LS		60	1				16/5	H	113-03	S180	S180		0	3-09	30-00	135	1 #5 @ T BB
304	TR	BF		60	2				16/5	S	4-09							10	2 #5 @ LINTEL
305	GI	Segment: MAIN BUILDING Sub-Segment: GAURD HOUSE BUILDING																	
306	MT	GAURD HOUSE BUILDING																	
307	MT	CONTINUOUS FOUNDATION																	
308	MT	REF: S-140																	
309	TR	LS		60	3				16/5	S	124-09				0	48D	30-00	422	3 #5 @ B CONT.
310	TR	LS		60	2				16/5	S	124-09				0	48D	30-00	281	2 #5 @ T CONT.
311	TR	BF		60		124-09	1-00		16/5	H	0-10	5-00						767	#5 @12" SOG DWL.
312	TR	BF		60		124-09	1-00		16/5	S	1-02							153	#5 @12" B TRANS.
313	TR	BF		60		108-02	2-00		16/5	H	0-10	5-06						370	#5 @24" CMU DWL.
314	TR	BF		60	2			4	16/5	H	0-10	5-06						53	2 #5 @ COR. DWL.
315	TR	BF		60	2			5	16/5	H	0-10	5-06						66	2 #5 @ JAMB DWL.ES
316	MT	8" THICK CMU WALL																	
317	TR	LS		60		34-04	2-00	2	16/5	S	10-06				0	3-09	5-00	1,159	#5 @24" V
318	TR	LS		60		27-04	2-00		16/5	S	13-03				0	3-09	5-00	618	#5 @24" V
319	TR	LS		60		3-04	2-00	3	16/5	S	6-03				0	3-09	30-00	59	#5 @24" V @ OPNG
320	TR	LS		60		4-00	2-00	2	16/5	S	9-00				0	3-09	5-00	150	#5 @24" V @
321	TR	LS		60	1			4	16/5	S	10-06				0	3-09	5-00	122	#5 @24"V COR.
322	TR	LS		60	1			4	16/5	S	12-06				0	3-09	5-00	146	#5 @24" V COR.
323	TR	LS		60	2			5	16/5	S	13-03				0	3-09	5-00	412	#5 @24" V JAMB ES
324	TR	LS		60	2			2	16/5	S	62-00				0	3-09	30-00	290	2 #5 @ T CONT.
325	TR	BF		60	2			4	16/5	H	4-00	4-00						67	2 #5 T COR.
326	TR	LS		60	2				16/5	S	34-03				0	3-09	30-00	79	2 #5 @T LINTEL
327	TR	LS		60	1			2	16/5	S	5-06				0	3-09	30-00	11	1 #5 BB @ B
328	TR	LS		60		10-08	4-00	2	16/5	S	34-00				0	3-09	30-00	315	#5 @ 48" H
329	TR	LS		60	2				16/5	S	18-00				0	3-09	30-00	38	#5 @48" H @ DOOR
330	TR	LS		60	1				16/5	S	14-00				0	3-09	30-00	15	#5 @48" H@ WINDOW
331	TR	LS		60		6-03	4-00		16/5	S	28-00				0	3-09	30-00	88	#5 @48" H @ ABOVE
332	TR	LS		60	2				16/5	S	21-03				0	3-09	30-00	44	#5 @48" H @ DOOR
333	TR	LS		60	1				16/5	S	17-03				0	3-09	30-00	18	#5 @48" H @
334	TR	LS		60		6-03	4-00		16/5	S	28-00				0	3-09	30-00	88	#5 @48" H @ ABOVE
335	GI	Segment: MAIN BUILDING Sub-Segment: COMPLEX-F BUILDING																	
336	MT	COMPLEX-F BUILDING (REF: S-402)																	
337	MT	REF SEC: B4/S-503																	
338	TR	LS		60	2				13/4	S	13-06				0	2-00	30-00	18	2 #4 @B CONT.
339	TR	BF		60		13-06	2-00		13/4	S	0-08							4	#4 @24" B TRANS.
340	TR	LS		60		2-09	1-00		13/4	S	13-06				0	2-00	30-00	36	#4 @12" SOG LW
341	TR	BF		60		13-06	1-00		13/4	H	0-08	2-09						34	#4 @12" SOG TRANS.
342	TR	BF		60		273-06	1-06		16/5	H	1-02	3-00						800	#5 @18" SOG DWL.
343	TR	LS		60	2				16/5	S	13-06				0	2-00	30-00	28	2 #5 T CONT.
344	TR	LS		60	3				16/5	S	273-06				0	2-00	30-00	912	3 #5 B CONT.
345	TR	BF		60		13-06	1-04		13/4	S	0-08							5	#4 @16" DWL. D&E
346	TR	BF		60		13-06	2-00		13/4	S	2-05							13	#4 @24" B TRANS.
347	TR	BF		60		13-06	4-00		16/5	H	S90	4-06						28	#5 @48" CMU DWL.
348	MT	REF SEC: C3/S-503																	
349	TR	LS		60	3				16/5	S	107-00				0	1-08	30-00	350	3 #5 @ B CONT.
350	TR	LS		60	2				16/5	S	107-00				0	1-08	30-00	234	2 #5 @ T CONT.
351	TR	BF		60		107-00	1-06		16/5	S	4-00							305	#5 @18" ADD'L
352	TR	BF		60		95-00	4-00		16/5	H	S90	4-06						139	#5 @48" CMU DWL.
353	TR	BF		60	2			5	16/5	H	S90	4-06						56	2 #5 @48" MCJ DWLS
354	TR	BF		60	2			3	16/5	H	S90	4-06						33	2 #5 @48" JAMB DWL.



**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spccg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes		
355	TR	BF		60	2			1	16/5	H	S90	4-06						11	2 #5 @48" COR.DWL.		
356	MT	8" THICK CMU WALL																			
357	MT	REF: S-505, S-597																			
358	TR	BF		60		95-00	4-00		16/5	H	S90	4-06						139	#5 @48" CMU DWL.		
359	TR	LS		60		91-00	4-00		16/5	S	11-06				0	3-09	5-00	851	#5 @48" V		
360	TR	LS		60	2			5	16/5	S	11-06				0	3-09	5-00	355	2 #5 @ V@ MCJ		
361	TR	LS		60	2			3	16/5	S	11-06				0	3-09	5-00	213	2 #5 @ V JAMB ES		
362	TR	LS		60	2			1	16/5	S	11-06				0	3-09	5-00	71	2 #5 @ V COR.		
363	TR	LS		60		4-00	4-00		16/5	S	7-06				0	3-09	5-00	31	#5 @48" V @		
364	TR	LS		60		10-00	4-00		16/5	S	4-03				0	3-09	5-00	18	#5 @48" V ABOVE		
365	TR	LS		60	1				16/5	S	5-06				0	3-09	30-00	6	1 #5 BB @ B		
366	TR	LS		60	2				16/5	S	19-04				0	3-09	30-00	40	2 #5 @T LINTEL		
367	TR	LS		60	2				16/5	H	119-00	S180	S180	10-00	0	3-09	30-00	303	2 #5 @ T BB		
368	TR	LS		60	1				16/5	H	119-00	S180	S180	10-00	0	3-09	30-00	151	1 #5 @ T CONT.		
369	TR	LS		60		7-00	4-00		16/5	H	109-00	S180	S180		0	3-09	30-00	392	#5 @48" H @ DOOR		
370	TR	LS		60		4-06	4-00		16/5	H	119-00	S180	S180		0	3-09	30-00	423	#5 @48" H ABOVE		
371	MT	4 1/2" THICK COMPOSITE DECK SLAB																			
372	TI	SqFt			950				6x6-W1.4xW1.4 WWF											0	DECK SLAB
373	TI	Pcs			50				3" IHC											0	DECK SLAB
374	GI	Segment: MAIN BUILDING Sub-Segment: COMPLEX-G BUILDING																			
375	MT	COMPLEX-G BUILDING (REF: S-403)																			
376	MT	REF SEC: C3/S-503																			
377	TR	LS		60	3				16/5	S	217-00				0	1-08	30-00	716	3 #5 @ B CONT.		
378	TR	LS		60	2				16/5	S	217-00				0	1-08	30-00	477	2 #5 @ T CONT.		
379	TR	BF		60		217-00	1-06		16/5	S	4-00							609	#5 @18" ADD'L		
380	TR	BF		60		185-00	4-00		16/5	H	S90	4-06						267	#5 @48" CMU DWL.		
381	TR	BF		60	2			6	16/5	H	S90	4-06						67	2 #5 @48" CMU DWL.		
382	TR	BF		60	2			5	16/5	H	S90	4-06						56	2 #5 @48" JAMB DWL.		
383	TR	BF		60	3			1	16/5	H	S90	4-06						17	3 #5 @48" INT. DWL.		
384	MT	6" THICK SLAB ON GRADE																			
385	MT	REF: S-117																			
386	TI	SqFt			1600				6x6-W2.9xW2.9											0	SOG
387	TI	Pcs			100				3" DOBBIES											0	
388	TR	BF		60	2			3	19/6	H	5-00	0-06	5-00					95	2 #6 HAIRPIN BAR		
389	TR	BF		60	2			3	19/6	H	19-00	S90						180	2 #6 HAIRPIN MID		
390	MT	8" THICK CMU WALL																			
391	MT	REF: S-505, S-597																			
392	TR	LS		60		185-00	4-00		16/5	S	10-06				0	3-09	5-00	1,464	#5 @48" V		
393	TR	LS		60		18-08	4-00		16/5	S	3-06				0	3-09	5-00	22	#5 @48" V ABOVE		
394	TR	LS		60	2			6	16/5	S	10-06				0	3-09	5-00	366	2 #5 @48" V @ MCJ		
395	TR	LS		60	2			5	16/5	S	10-06				0	3-09	5-00	305	2 #5 @48" V JAMB ES		
396	TR	LS		60	3			1	16/5	S	10-06				0	3-09	5-00	92	3 #5 @48" V INT.		
397	TR	LS		60	2				16/5	S	25-09				0	3-09	30-00	54	2 #5 @T LINTEL		
398	TR	LS		60	2				16/5	H	204-00	S180	S180	10-00	0	3-09	30-00	511	2 #5 @ T BB		
399	TR	LS		60	1				16/5	H	204-00	S180	S180	10-00	0	3-09	30-00	256	1 #5 @ T CONT.		
400	MT	4 1/2" THICK COMPOSITE DECK SLAB																			
401	TI	SqFt			2000				6x6-W1.4xW1.4 WWF											0	DECK SLAB
402	TI	Pcs			120				3" IHC											0	DECK SLAB
403	MT	CIP EQUIPMENT PAD																			
404	MT	REF: D4/S-501																			
405	MT	CIP EQUIPMENT PAD (SIZE: 2'-0"x2-0"x10")																			
406	TR	RA		60		1-00	1-00	2	13/4	S	1-08	1-08				48D	30-00	14	#4 @12" T&B EW		
407	MT	CIP EQUIPMENT PAD (SIZE: 3'-6"x2-0"x10")																			
408	TR	RA		60		1-00	1-00	2	13/4	S	3-02	1-08				48D	30-00	24	#4 @12" T&B EW		
409	MT	CIP EQUIPMENT PAD (SIZE: 3'-4"x3-4"x10")																			
410	TR	RA		60		1-00	1-00	2	13/4	S	3-00	3-00				48D	30-00	32	#4 @12" T&B EW		
411	TI	Pcs			12				3" DOBBIES											0	
412	MT	SITE WORK																			
413	GI	Segment: SITE WORK Sub-Segment: CONCRETE SIDE WALK																			

**SAMPLE-4 -**

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
414	MT	4" THICK SIDE WALK (REF: A3/C-520)																	
415	TI	SqFt			1650				6x6-W1.4xW1.4 WWF									0	DECK SLAB
416	TI	Pcs			100				2" DOBBIES									0	SIDE WALK
417	GI	Segment: SITE WORK Sub-Segment: CONCRETE PAVEMENT																	
418	MT	6" THICK CONCRETE PAVEMENT (REF: D3/C-520)																	
419	TR	LS		60		235-06	1-04	2	13/4	S	235-06				0	48D	30-00	59,809	#4 @16" B EW
420	TI	Pcs			3500				5" DOBBIES									0	CONCRETE PAVEMENT
421	GI	Segment: SITE WORK Sub-Segment: FEEDER CURB																	
422	MT	6" THICK FEEDER CURB (REF: CURB01/C-522)																	
423	TR	LS		60	2				13/4	S	256-09				0	48D	30-00	367	2 #4 @ CONT.

**SAMPLE-4 -**

**Total for Segment: MAIN BUILDING**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
<b>** Grade 60, Black **</b>					
13/4	15,107	7,055	5,158	2,894	5,509
16/5	36,711	26,047	10,664	0	21,205
19/6	56,008	52,068	3,940	0	0
25/8	9,161	0	9,161	0	0
29/9	6,362	6,362	0	0	0
	<u>123,349</u>	<u>91,532</u>	<u>28,923</u>	<u>2,894</u>	<u>26,714</u>

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'DOBBIES' \*\***

3" DOBBIES	3" DOBBIES	4,332.000 Pcs	=	4,332.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
4" DOBBIES	4" DOBBIES	30.000 Pcs	=	30.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
6" DOBBIES	6" DOBBIES	460.000 Pcs	=	460.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
<b>Subtotal</b>								= \$	0.00	0 Lbs

**\*\* Undefined Item Class - 'IHC' \*\***

3" IHC	3" IHC	1,340.000 Pcs	=	1,340.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
6" IHC	6" IHC	55.000 Pcs	=	55.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
<b>Subtotal</b>								= \$	0.00	0 Lbs

**\*\* Undefined Item Class - 'MESH' \*\***

6x6-W1.4xW1.4 WWF	6x6-W1.4xW1.4 WWF	23,950.000 SqFt	=	23,950.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs	
6x6-W2.9xW2.9	6x6-W2.9xW2.9	69,250.000 SqFt	=	69,250.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs	
<b>Subtotal</b>								= \$	0.00	0 Lbs

<b>Grand Total</b>								= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	--	------	------	-------

**SAMPLE-4 -**

**Total for Segment: SITE WORK**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**\*\* Grade 60, Black \*\***

13/4	60,176	60,176	0	0	57,435
	<u>60,176</u>	<u>60,176</u>	<u>0</u>	<u>0</u>	<u>57,435</u>

**\*\*\*\* Miscellaneous Item Summary \*\*\*\***

**\*\* Undefined Item Class - 'DOBBIES' \*\***

2" DOBBIES	2" DOBBIES	100.000 Pcs	=	100.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
5" DOBBIES	5" DOBBIES	3,500.000 Pcs	=	3,500.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs	
<b>Subtotal</b>								= \$	0.00	0 Lbs

**\*\* Undefined Item Class - 'MESH' \*\***

6x6-W1.4xW1.4 WWF	6x6-W1.4xW1.4 WWF	1,650.000 SqFt	=	1,650.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs	
<b>Subtotal</b>								= \$	0.00	0 Lbs

<b>Grand Total</b>								= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	--	------	------	-------

**SAMPLE-4 -****Rebar Segment Summary****Segment: MAIN BUILDING****\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**\*\* Grade 60, Black \*\***

13/4	15,107	7,055	5,158	2,894	5,509
16/5	36,711	26,047	10,664	0	21,205
19/6	56,008	52,068	3,940	0	0
25/8	9,161	0	9,161	0	0
29/9	6,362	6,362	0	0	0
	<u>123,349</u>	<u>91,532</u>	<u>28,923</u>	<u>2,894</u>	<u>26,714</u>

**Segment: SITE WORK****\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
------	-------	----------	-------	-------	-----------

**\*\* Grade 60, Black \*\***

13/4	60,176	60,176	0	0	57,435
	<u>60,176</u>	<u>60,176</u>	<u>0</u>	<u>0</u>	<u>57,435</u>

**Estimate Totals**

**\*\*\*\* Rebar Weight Summary (Lbs) \*\*\*\***

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
<b>** Grade 60, Black **</b>					
13/4	75,283	67,231	5,158	2,894	62,944
16/5	36,711	26,047	10,664	0	21,205
19/6	56,008	52,068	3,940	0	0
25/8	9,161	0	9,161	0	0
29/9	6,362	6,362	0	0	0
	<u>183,525</u>	<u>151,708</u>	<u>28,923</u>	<u>2,894</u>	<u>84,149</u>

**SAMPLE-4 -****Estimate Totals****\*\*\*\* Miscellaneous Item Summary \*\*\*\*****\*\* Undefined Item Class - 'DOBBIES' \*\***

2" DOBBIES	2" DOBBIES	100.000 Pcs	=	100.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
3" DOBBIES	3" DOBBIES	4,332.000 Pcs	=	4,332.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
4" DOBBIES	4" DOBBIES	30.000 Pcs	=	30.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
5" DOBBIES	5" DOBBIES	3,500.000 Pcs	=	3,500.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" DOBBIES	6" DOBBIES	460.000 Pcs	=	460.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs

---

<b>Subtotal</b>							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**\*\* Undefined Item Class - 'IHC' \*\***

3" IHC	3" IHC	1,340.000 Pcs	=	1,340.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs
6" IHC	6" IHC	55.000 Pcs	=	55.000 Pcs	@	0.000 / Pcs	= \$	0.00	0 Lbs

---

<b>Subtotal</b>							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

**\*\* Undefined Item Class - 'MESH' \*\***

6x6-W1.4xW1.4 WWF	6x6-W1.4xW1.4 WWF	25,600.000 SqFt	=	25,600.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs
6x6-W2.9xW2.9	6x6-W2.9xW2.9	69,250.000 SqFt	=	69,250.000 SqFt	@	0.000 / SqFt	= \$	0.00	0 Lbs

---

<b>Subtotal</b>							= \$	0.00	0 Lbs
-----------------	--	--	--	--	--	--	------	------	-------

---

<b>Grand Total</b>							= \$	0.00	0 Lbs
--------------------	--	--	--	--	--	--	------	------	-------